

DATASHEET

Industrial Splice housing for DIN Rail without front panel RAL7035



General data

Fully assembled metal housing
For DIN Rail mounting
Cable entries top/bottom, prepared for M20
Delivery incl. screws for front panel

Included: 1 x splice distributor housing

1x splice cassette

1 x splice holder for 12 crimp splices (Attach of an optional additional splice holder only with double-sided adhesive tape)

1 x cable gland M20

1 x Alu DIN Rail clip

Delivery unassembled and without Front panel

Dimensions: 61x115x113mm

Tekniske egenskaber

This datasheet was created automatically on 20-09-2026 . Technical changes reserved.






DATASHEET

Industrial Splice housing for DIN Rail without front panel RAL7035

Available variants

ArtNr.	Bezeichnung	Colour	Suitable for number of couplings/adapters	RAL-number
53705.1V3	Industrial Splice housing for DIN Rail without front panel RAL7035	grey	12	7035

datasheets.content.drawings




Abmessung (B x H x T), 61 x 115 x 113mm

This datasheet was created automatically on 20-09-2026 . Technical changes reserved.

DATASHEET

Industrial Splice housing for DIN Rail without front panel RAL7035



Nr.	Beschreibung	Q'ty
1	Gehäuseteil 1	1
2	Gehäuseteil 2	1
3.1	Frontblende (Nicht im Lieferumfang)	
3.2.1	Gewindeniet	1
3.2.2	Montageplatte	1
4	Zylinderblechschraube	8

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 20-09-2026 . Technical changes reserved.