


DATASHEET

RJ45 Connector STP, Cat.6, Field-Plug



General data

The RJ45 plug provides a combination of excellent transmission quality and fast and easy tool-free assembly. Fully shielded zinc diecast housing ensures the best EMC features especially in industrial environments. IDC terminals and very low contact resistances assure high quality contacting for installation cables up to 9mm diameter and wire gauge from AWG22 - AWG27.

Shielded zinc diecast body with separate dust cap and anti-kink sleeve

Class E performance according to ISO/IEC11801 and IEC60603-7-5

Compact cable manager for AWG 22/1 .. AWG 26/1 or AWG22/7 .. AWG27/7

Pair management according to TIA 568A /B colour codes and industrial Profinet 1-2-3-6

Re-termination capability up to 5 times with the same width, for AWG27/7 up to 2 times

Suitable for cable dia from 6.0 mm .. 9.0 mm

Strain relief with cable tie

Tekniske egenskaber

Available variants

ArtNr.	Bezeichnung	Colour
88035.1	RJ45 Connector STP, Cat.6, Field-Plug	silver


This datasheet was created automatically on 14-09-2026 . Technical changes reserved.



DATASHEET

RJ45 Connector STP, Cat.6, Field-Plug


datasheets.content.drawings



This datasheet was created automatically on 14-09-2026 . Technical changes reserved.

DATASHEET

RJ45 Connector STP, Cat.6, Field-Plug



Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 14-09-2026 . Technical changes reserved.