

# DATASHEET

## RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 50m













### General data

RJ45 patch cable Cat.6 U/UTP LSZH CCA

The Cat.6 patch cable has gold-plated contacts and meets the requirements for 5Gbit Ethernet.

Technical product features
- Cat.6
- U/UTP cable with AWG24/7
- Jacket material made of halogen-free LSZH
- Fire protection: flame-retardant, halogen-free, low smoke
- Plug connection: RJ45 to RJ45
- With locking lever protection
- Has gold-plated contacts

**This datasheet was created automatically on 01-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 50m

The jacket of the patch cable is made of halogen-free LSZH material. The cable also offers the option of power supply via PoE according to IEEE802.3af, PoE+ according to IEEE802.3at and 4PPoE according to IEEE802.3bt.

The assignment of the RJ45 plugs is 1:1 and follows TIA/EIA 568B .

The data cable has a conductor material made of CCA and is ideal for applications in structured building cabling, industrial Ethernet and data centers. The frequency range is up to 250 MHz.

### Tekniske egenskaber

### Available variants

| ArtNr. | Bezeichnung | Length | POE class | Length tolerance |
|---|---|---|---|---|
| K8104WS.0,25 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 0,25m | 0.25 m | No | ±5 % |
| K8104WS.0,5 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 0,5m | 0.5 m | No | ±5 % |
| K8104WS.1 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 1m | 1.0 m | No | ±5 % |
| K8104WS.1,5 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 1,5m | 1.5 m | No | ±5 % |
| K8104WS.2 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 2m | 2.0 m | No | ±5 % |
| K8104WS.3 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 3m | 3.0 m | No | ±5 % |
| K8104WS.5 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 5m | 5.0 m | No | ±5 % |
| K8104WS.7,5 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 7,5m | 7.5 m | No | ±5 % |
| K8104WS.10 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 10m | 10.0 m | No | ±5 % |
| K8104WS.15 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 15m | 15.0 m | No | ±5 % |
| K8104WS.20 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 20m | 20.0 m | No | ±5 % |
| K8104WS.25 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 25m | 25.0 m | No | ±5 % |
| K8104WS.30 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 30m | 30.0 m | No | ±5 % |
| K8104WS.50 | RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 50m | 50.0 m | No | ±5 % |

### datasheets.content.drawings

**This datasheet was created automatically on 01-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld


fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## RJ45 Patch Cord Cat.6 U/UTP LSZH CCA white 50m




**Note on Intended Use**

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.



EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION