


# DATASHEET

## MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 3m



100 Gbit



### General data

Application: Suitable for transmission links up to **100 Gigabit**

Construction: 1 multi-connector MTP® on one side,  
6 LC-Duplex connector on the other side

**LowLoss** version: attenuation per Fanout max. 0,35dB

Matrix: 12 fibers

Furcation length: 50cm

Cable diameter multi-connector: 3mm

Cable diameter single-connector: 2mm

Colour: OM5, OM4, OM3 and OS2 acc. to colour code DIN VDE 0888

### Tekniske egenskaber

### Available variants

| ArtNr. | Bezeichnung | Halogen free<br>(according to<br>EN<br>60754-1/2) | Number of<br>Length connectors<br>connection 1 | Number of<br>connectors<br>connection 2 | Number<br>of fibres |
|--------|-------------|---------------------------------------------------|------------------------------------------------|-----------------------------------------|---------------------|
|--------|-------------|---------------------------------------------------|------------------------------------------------|-----------------------------------------|---------------------|

This datasheet was created automatically on 23-09-2026 . Technical changes reserved.




# DATASHEET

## MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 3m

|                 |                                                           |      |        |              |         |    |
|-----------------|-----------------------------------------------------------|------|--------|--------------|---------|----|
| MTPF12LCOM3-2   | MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 2m   | True | 2.0 m  | 1 x MTP® (F) | 12 x LC | 12 |
| MTPF12LCOM3-3   | MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 3m   | True | 3.0 m  | 1 x MTP® (F) | 12 x LC | 12 |
| MTPF12LCOM3-5   | MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 5m   | True | 5.0 m  | 1 x MTP® (F) | 12 x LC | 12 |
| MTPF12LCOM3-7,5 | MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 7,5m | True | 7.5 m  | 1 x MTP® (F) | 12 x LC | 12 |
| MTPF12LCOM3-10  | MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 10m  | True | 10.0 m | 1 x MTP® (F) | 12 x LC | 12 |
| MTPF12LCOM3-15  | MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 15m  | True | 15.0 m | 1 x MTP® (F) | 12 x LC | 12 |

### datasheets.content.drawings



This datasheet was created automatically on 23-09-2026 . Technical changes reserved.

# DATASHEET

## MTP®(F)-LC Trunk cable OM3 12 fibers Typ B LSZH aqua 3m



### Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 23-09-2026 . Technical changes reserved.