
DATASHEET

MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 15m



General data

Application: Server to Server- / Switch to Switch connection,
Suitable for transmission links up to **100 Gigabit**
Connector manufacturer: **US Conec**
Matrix: 12 Fibers
Singlemode variant always as APC version
Colour: OM5 lime green, OM4 erica-violet, OM3 aqua and OS2 yellow

Available lengths: 1m up to 100m

Note: In each MTP® transmission link, a type B (crossed) patch cable is required

Tekniske egenskaber

Available variants

This datasheet was created automatically on 14-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 15m

ArtNr.	Bezeichnung	Halogen free (according to EN 60754-1/2)	Length	Number of connectors connection 1	Number of connectors connection 2	Number of fibres
MTPF12MTPFOM3-0,5-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 0,5m	True	0.5 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-1-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 1m	True	1.0 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-2-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 2m	True	2.0 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-3-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 3m	True	3.0 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-5-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 5m	True	5.0 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-7,5-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 7,5m	True	7.5 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-10-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 10m	True	10.0 m	1 x MTP® (F)	1 x MTP® (F)	12
MTPF12MTPFOM3-15-A	MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 15m	True	15.0 m	1 x MTP® (F)	1 x MTP® (F)	12

datasheets.content.drawings

This datasheet was created automatically on 14-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld


fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de


WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 15m




MTP/APC Female Connector(Elite)



Length Tolerance:

Length (M)	Tolerance
L≤1	+5CM/-0
1<L≤10	+10CM/-0
10<L	+L1%/-0

MTP/APC Female Connector(Elite)




MTP Connector

Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8	Port 9	Port 10	Port 11	Port 12
Blue	Orange	Green	Brown	Gray	White	Red	Black	Yellow	Purple	Pink	Aqua


MTP Connector

Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8	Port 9	Port 10	Port 11	Port 12
Blue	Orange	Green	Brown	Gray	White	Red	Black	Yellow	Purple	Pink	Aqua


Straight (Type A)



Reversed (Type B)



Pairs Flipped (Type C)



This datasheet was created automatically on 14-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 15m

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 14-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION