
# DATASHEET

## MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 7,5m




### General data

Application: Server to Server- / Switch to Switch connection,
Suitable for transmission links up to **100 Gigabit**
Connector manufacturer: **US Conec**
Matrix: 12 Fibers
**Singlemode variant always as APC version**
Colour: OM5 lime green, OM4 erica-violet, OM3 aqua and OS2 yellow

Available lengths: 1m up to 100m

**Note: In each MTP® transmission link, a type B (crossed) patch cable is required**

### Tekniske egenskaber

### Available variants

**This datasheet was created automatically on 14-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 7,5m

| ArtNr. | Bezeichnung | Halogen free (according to EN 60754-1/2) | Length | Number of connectors connection 1 | Number of connectors connection 2 | Number of fibres |
|---|---|---|---|---|---|---|
| MTPF12MTPFOM3-0,5-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 0,5m | True | 0.5 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-1-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 1m | True | 1.0 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-2-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 2m | True | 2.0 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-3-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 3m | True | 3.0 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-5-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 5m | True | 5.0 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-7,5-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 7,5m | True | 7.5 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-10-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 10m | True | 10.0 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |
| MTPF12MTPFOM3-15-A | MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 15m | True | 15.0 m | 1 x MTP® (F) | 1 x MTP® (F) | 12 |

**datasheets.content.drawings**

**This datasheet was created automatically on 14-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld


fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de


WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 7,5m




MTP/APC Female Connector(Elite)





MTP Connector

| Port 1 | Port 2 | Port 3 | Port 4 | Port 5 | Port 6 | Port 7 | Port 8 | Port 9 | Port 10 | Port 11 | Port 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Blue | Orange | Green | Brown | Gray | White | Red | Black | Yellow | Purple | Pink | Aqua |

Length Tolerance:

| Length (M) | Tolerance |
|---|---|
| L≤1 | +5CM/-0 |
| 1<L≤10 | +10CM/-0 |
| 10<L | +L1%/-0 |


MTP/APC Female Connector(Elite)





MTP Connector

| Port 1 | Port 2 | Port 3 | Port 4 | Port 5 | Port 6 | Port 7 | Port 8 | Port 9 | Port 10 | Port 11 | Port 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Blue | Orange | Green | Brown | Gray | White | Red | Black | Yellow | Purple | Pink | Aqua |


### Straight (Type A)




### Reversed (Type B)




### Pairs Flipped (Type C)




**This datasheet was created automatically on 14-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## MTP®(F)-MTP®(F) Patch cable OM3 12 fibers Typ A LSZH aqua 7,5m

**Note on Intended Use**

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

**This datasheet was created automatically on 14-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION