


# DATASHEET

## MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 3m

100 Gbit



### General data

Application: Server to Server- / Switch to Switch connection,  
 Suitable for transmission links up to **100 Gigabit**  
 Connector manufacturer: **US Conec**  
 Matrix: 12 Fibers  
 Singlemode variant always as APC version  
 Colour: OM5 lime green, OM4 erica-violet, OM3 aqua and OS2 yellow

Available lengths: 1m up to 100m

**Note: In each MTP® transmission link, a type B (crossed) patch cable is required**

MTP Singlemode connectors are in APC version

### Tekniske egenskaber

### Available variants

This datasheet was created automatically on 11-09-2026 . Technical changes reserved.




# DATASHEET

## MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 3m

| ArtNr.            | Bezeichnung                                                              | Halogen free<br>(according to EN 60754-1/2) | Length | Number of connectors connection 1 | Number of connectors connection 2 | Number of fibres |
|-------------------|--------------------------------------------------------------------------|---------------------------------------------|--------|-----------------------------------|-----------------------------------|------------------|
| MTPF12MTPFOS2-1   | MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 1m   | True                                        | 1.0 m  | 1 x MTP® female                   | 1 x MTP® female                   | 12               |
| MTPF12MTPFOS2-2   | MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 2m   | True                                        | 2.0 m  | 1 x MTP® female                   | 1 x MTP® female                   | 12               |
| MTPF12MTPFOS2-3   | MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 3m   | True                                        | 3.0 m  | 1 x MTP® female                   | 1 x MTP® female                   | 12               |
| MTPF12MTPFOS2-5   | MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 5m   | True                                        | 5.0 m  | 1 x MTP® female                   | 1 x MTP® female                   | 12               |
| MTPF12MTPFOS2-7,5 | MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 7,5m | True                                        | 7.5 m  | 1 x MTP® female                   | 1 x MTP® female                   | 12               |
| MTPF12MTPFOS2-10  | MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 10m  | True                                        | 10.0 m | 1 x MTP® female                   | 1 x MTP® female                   | 12               |
| MTPF12MTPFOS2-30  |                                                                          | True                                        | 30.0 m | 1 x MTP® female                   | 1 x MTP® female                   | 12               |


### datasheets.content.drawings



This datasheet was created automatically on 11-09-2026 . Technical changes reserved.

# DATASHEET

## MTP®/APC(F)-MTP®/APC(F) Patch cable OS2 12 fibers Typ B LSZH yellow 3m



### Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 11-09-2026 . Technical changes reserved.