DATASHEET

MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 5m



General data

Application: Server to Server- / Switch to Switch connection,
Suitable for transmission links up to **100 Gigabit**
Connector manufacturer: **US Conec**
Matrix: 12 Fibers
Singlemode variant always as APC version
Colour: OM5 lime green, OM4 erica-violet, OM3 aqua and OS2 yellow

Available lengths: 1m up to 100m

Note: In each MTP® transmission link, a type B (crossed) patch cable is required

Tekniske egenskaber

Available variants

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de


WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION


DATASHEET


MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 5m


ArtNr.	Bezeichnung	Halogen free (according to EN 60754-1/2)	Length	Number of connectors connection 1	Number of connectors connection 2	Number of fibres
MTPF36MTPFOM4-5-A	MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 5m	True	5.0 m	3 x MTP® (F)	3 x MTP® (F)	36
MTPF36MTPFOM4-10-A	MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 10m	True	10.0 m	3 x MTP® (F)	3 x MTP® (F)	36
MTPF36MTPFOM4-15-A	MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 15m	True	15.0 m	3 x MTP® (F)	3 x MTP® (F)	36
MTPF36MTPFOM4-20-A	MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 20m	True	20.0 m	3 x MTP® (F)	3 x MTP® (F)	36
MTPF36MTPFOM4-25-A	MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 25m	True	25.0 m	3 x MTP® (F)	3 x MTP® (F)	36
MTPF36MTPFOM4-30-A	MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 30m	True	30.0 m	3 x MTP® (F)	3 x MTP® (F)	36

datasheets.content.drawings










DATASHEET

MTP®(F)-MTP®(F) Patch cable OM4 36 fibers Typ A LSZH erica-violet 5m



Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION