


DATASHEET

Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1
7,5m LSZH 3mm yellow



General data

Fiber jumper are well defined components in international standard of structured cabling ISO/IEC11801. Due to many different network protocols created in the last 25 years , also a wide range of connectors had been developed. Some of them are still important today: LC, SC, E2000®, MPO/MTP.

Fiber jumper (patchcord) are defined as shortest connection between passive interface and active deviceport, regarding structured cabling standard. Rating of performance, known as category, as well as performance of total transmission channel, known as link class, Similar descriptions for patchcords: Connection cable, drop cable, adapter cable, interconnecting cord, Jumper

Tekniske egenskaber

Available variants

ArtNr.	Bezeichnung	Length	Outer	Length
			diameter sheath single fibre	tolerance


This datasheet was created automatically on 22-09-2026 . Technical changes reserved.

DATASHEET

Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 7,5m LSZH 3mm yellow

00933.0,5	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 0,5m LSZH 3mm yellow	0.5 m	3.0 mm	±5 %
00933.1	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 1m LSZH 3mm yellow	1.0 m	3.0 mm	±5 %
00933.2	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 2m LSZH 3mm yellow	2.0 m	3.0 mm	±5 %
00933.3	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 3m LSZH 3mm yellow	3.0 m	3.0 mm	±5 %
00933.5	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 5m LSZH 3mm yellow	5.0 m	3.0 mm	±5 %
00933.7,5	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 7,5m LSZH 3mm yellow	7.5 m	3.0 mm	±5 %
00933.10	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 10m LSZH 3mm yellow	10.0 m	3.0 mm	±5 %
00933.15	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 15m LSZH 3mm yellow	15.0 m	3.0 mm	±5 %
00933.20	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 20m LSZH 3mm yellow	20.0 m	3.0 mm	±5 %
00933.25	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 25m LSZH 3mm yellow	25.0 m	3.0 mm	±5 %
00933.30	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 30m LSZH 3mm yellow	30.0 m	3.0 mm	±5 %
00933.40	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 40m LSZH 3mm yellow	40.0 m	3.0 mm	±5 %
00933.50	Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 50m LSZH 3mm yellow	50.0 m	3.0 mm	±5 %

datasheets.content.drawings



Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a

This datasheet was created automatically on 22-09-2026 . Technical changes reserved.

DATASHEET

Duplex Patchcable E2000®/APC-E2000®/APC OS2 G657A1 7,5m LSZH 3mm yellow

specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 22-09-2026 . Technical changes reserved.

