

# **Compliance Statement**

No. 2023-628

Data communication cable, Category 6<sub>A</sub>

### Company

EFB Elektronik Nordic A/S Naverland 22 2600 Glostrup Denmark

#### Product description

Screened cable (S/FTP) characterised up to 500 MHz Horizontal floor wiring cable, 100  $\Omega$  4 and 2x4 individually foil screened twisted pairs with overall braid screen Flame retardant, halogen free

# **Product identification**

Cat.6A, S/FTP, LSZH Part number: DK-ICD6ASFW.500-V1, DK-ICD6ASFDXW.500-V1

# Generic cabling and cabling components standards - Category 6<sub>A</sub> cable requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- IEC 61156-5:2020 (Ed. 3.0)
- EN 50173-1:2018 / EN 50173-2:2018
- EN 50288-10-1:2012
- TIA-568.2-D:2018

# Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-2:2019 (Ed. 2.1)
- IEC 61034-1:2019 (Ed. 3.2) / IEC 61034-2:2019 (Ed. 3.2)

Technical report

12332615-03, DANAK-19/23758

EC Cabling product ID 6495, 6496

**CS valid until** 1 November 2024

This product has been tested by FORCE Technology and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 5 October 2023

Lars Lindskov Pedersen Test Manager

Lindoka Pedena

Sommin Anderan

Dennis Andersen Head of Department



FORCE Technology Venlighedsvej 4 2970 Hørsholm Denmark Tel. +45 43 25 14 00 lan.forcetechnology.com